

| Which of the following is the proper wa   | y to dynamically access the           |
|---|---------------------------------------|
| background color  |                                       |
| a) document . body. style .BackgroundColor                                      |                                       |
| b) document . body. attributes .BackgroundColor                                 |                                       |
| <u>c) document . body. style . bac kgroundColor</u>                             |                                       |
| d) document .body. style. background-color                                      |                                       |
| What is the significance of the second fuline? window.setInterval( "run()", 100 | inction argument in the following     |
| a) The value sets how many times to call the fund                               | ction specified in the first argument |
| b) The value sets how long the function is run for                              |                                       |
| c) The value sets how often to run the function                                 |                                       |
| d) The value sets the time to wait before calling t                             | he function Once                      |
|   |                                       |
| The blur event is associated with   |                                       |
| a) data transfer within the document  |                                       |
| b) a decrease in image resolution   |                                       |
| c) background effects   |                                       |
| <u>d) an element losing focus</u>   |                                       |
|   |                                       |
| In the following line the word documen  | t is a(n)that resides in the          |
| computer's memory document.writeln(   | "Hello World")                        |
| a) attribute  |                                       |
| b) behavior   |                                       |
| <u>c) object</u>  |                                       |
| d) method   |                                       |
|   |                                       |
|   |                                       |
|   |                                       |

| **************************************   |                 |
|--|-----------------|
|  | 71<br>24        |
| What is the output ? answer : <u>nothing</u>   |                 |
|  |                 |
|  |                 |
| Consider the following HTML5 code.   |                 |
| <pre><script type="text/javascript"></pre></td><td></td></tr><tr><td><pre><! </pre></td><td></td></tr><tr><td>//><br></script></pre>   |                 |
| <pre>// </pre>   |                 |
|  |                 |
|  |                 |
| <pre>** What is the output ? answer : nothing **  ** Consider the following HTML5 code. *</pre>  | *************** |
| What is the error ?  | *               |
| K It's the third row because VAR not written   | *               |
| *  | *               |
| *  | *               |
| <script type="text/javascript"></td><td>*</td></tr><tr><td><math display="block">\begin{array}{c} & & \\</math></td><td>*</td></tr><tr><td><pre>     var firstNumber;     V<sub>4</sub>() thirdNumber;     firstNumber = window.prompt("Enter an integer", "0"); </pre></td><td>*</td></tr><tr><td>secondNumber = window.prompt("Enter an integer", "0");</td><td>*</td></tr><tr><td>thirdNumber = firstNumber + secondNumber;</td><td></td></tr><tr><td>× Z</script> | *<br>*          |
| *  | *               |
| *  | * *             |
| *  | *               |
| *  | *               |
| *  | ⋇               |
| *  | ****            |
| *<br>*   | *               |
| *  | *               |
| *  | *<br>*          |
| *  | *               |
| *  | *               |
| *  | * *             |
| *  | *               |
| *  | *               |
| *****  | ***             |